

CoreLink™ GIC-400 Generic Interrupt Controller

Revision: r0p1

Technical Reference Manual

ARM®

CoreLink GIC-400 Generic Interrupt Controller

Technical Reference Manual

Copyright © 2011-2012 ARM. All rights reserved.

Release Information

The *Change history* table lists the changes made to this book.

| Change history | | | |
|----------------|-------|------------------|------------------------|
| Date | Issue | Confidentiality | Change |
| 23 June 2011 | A | Non-confidential | First release for r0p0 |
| 07 August 2012 | B | Non-confidential | First release for r0p1 |

Proprietary Notice

Words and logos marked with ® or ™ are registered trademarks or trademarks of ARM® Limited in the EU and other countries, except as otherwise stated below in this proprietary notice. Other brands and names mentioned herein may be the trademarks of their respective owners.

Neither the whole nor any part of the information contained in, or the product described in, this document may be adapted or reproduced in any material form except with the prior written permission of the copyright holder.

The product described in this document is subject to continuous developments and improvements. All particulars of the product and its use contained in this document are given by ARM in good faith. However, all warranties implied or expressed, including but not limited to implied warranties of merchantability, or fitness for purpose, are excluded.

This document is intended only to assist the reader in the use of the product. ARM shall not be liable for any loss or damage arising from the use of any information in this document, or any error or omission in such information, or any incorrect use of the product.

Where the term ARM is used it means “ARM or any of its subsidiaries as appropriate”.

Confidentiality Status

This document is Non-Confidential. The right to use, copy and disclose this document may be subject to license restrictions in accordance with the terms of the agreement entered into by ARM and the party that ARM delivered this document to.

Product Status

The information in this document is final, that is for a developed product.

Web Address

<http://www.arm.com>

Contents

CoreLink GIC-400 Generic Interrupt Controller

Technical Reference Manual

| | | |
|------------------|--|------|
| | Preface | |
| | About this book | vi |
| | Feedback | ix |
| Chapter 1 | Introduction | |
| | 1.1 About the GIC-400 | 1-2 |
| | 1.2 Compliance | 1-4 |
| | 1.3 Interfaces | 1-5 |
| | 1.4 Configurable options | 1-6 |
| | 1.5 Product documentation | 1-7 |
| | 1.6 Product revisions | 1-8 |
| Chapter 2 | Functional Description | |
| | 2.1 Functional overview of the GIC-400 | 2-2 |
| | 2.2 Secure and Non-secure access to the GIC-400 | 2-7 |
| | 2.3 Interrupt inputs to the GIC-400 | 2-8 |
| | 2.4 Maintenance interrupts in the GIC-400 | 2-9 |
| | 2.5 Virtual interrupts in the GIC-400 | 2-10 |
| | 2.6 Interrupt handling and prioritization in the GIC-400 | 2-11 |
| | 2.7 Power management | 2-12 |
| | 2.8 Behavior when the Distributor is disabled | 2-13 |
| Chapter 3 | Programmers Model | |
| | 3.1 About the GIC-400 programmers model | 3-2 |
| | 3.2 GIC-400 register map | 3-3 |
| | 3.3 Distributor register summary | 3-4 |

| | | |
|------|---|------|
| 3.4 | Distributor register descriptions | 3-6 |
| 3.5 | CPU interface register summary | 3-10 |
| 3.6 | CPU interface register descriptions | 3-11 |
| 3.7 | GIC virtual interface control register summary | 3-12 |
| 3.8 | GIC virtual interface control register descriptions | 3-13 |
| 3.9 | GIC virtual CPU interface register summary | 3-14 |
| 3.10 | GIC virtual CPU interface register descriptions | 3-15 |

Appendix A

Signal Descriptions

| | | |
|-----|-----------------------------------|-----|
| A.1 | Clock and reset signals | A-2 |
| A.2 | Configuration signal | A-3 |
| A.3 | Interrupt signals | A-4 |
| A.4 | AXI slave interface signals | A-5 |

Appendix B

Interrupt Signaling

| | | |
|-----|--|-----|
| B.1 | Interrupt signaling in the GIC-400 with physical interrupts only | B-2 |
| B.2 | Interrupt signaling in the GIC-400 with virtual interrupts | B-4 |

Appendix C

Revisions

Preface

This preface introduces the *CoreLink GIC-400 Generic Interrupt Controller Technical Reference Manual*. It contains the following sections:

- *About this book on page vi.*
- *Feedback on page ix.*

About this book

This book is for the CoreLink GIC-400 *Generic Interrupt Controller* (GIC-400). The GIC-400 is a configurable interrupt controller that supports virtualization and that you can implement in single-processor or multiprocessor systems.

Product revision status

The *rnpn* identifier indicates the revision status of the product described in this book, where:

- rn** Identifies the major revision of the product.
- pn** Identifies the minor revision or modification status of the product.

Intended audience

This book is written for system designers, system integrators, and programmers who are designing or programming a *System-on-Chip* (SoC) that uses the GIC-400.

Using this book

This book is organized into the following chapters:

Chapter 1 *Introduction*

Read this for an introduction to the GIC-400 and its features.

Chapter 2 *Functional Description*

Read this for a description of the major interfaces and the implementation-defined behavior of the GIC-400.

Chapter 3 *Programmers Model*

Read this for a description of the memory map and registers.

Appendix A *Signal Descriptions*

Read this for a description of the input and output signals.

Appendix B *Interrupt Signaling*

Read this for examples of how the GIC-400 handles physical and virtual interrupts.

Appendix C *Revisions*

Read this for a description of the technical changes between released issues of this book.

Glossary

The *ARM Glossary* is a list of terms used in ARM documentation, together with definitions for those terms. The *ARM Glossary* does not contain terms that are industry standard unless the ARM meaning differs from the generally accepted meaning.

See *ARM Glossary*, <http://infocenter.arm.com/help/topic/com.arm.doc.aeg0014-/index.html>.

Conventions

Conventions that this book can use are described in:

- *Typographical conventions* on page vii.
- *Timing diagrams* on page vii.

- [Signals on page viii.](#)

Typographical conventions


The following table describes the typographical conventions:

| Style | Purpose |
|-------------------------|--|
| <i>italic</i> | Introduces special terminology, denotes cross-references, and citations. |
| bold | Highlights interface elements, such as menu names. Denotes signal names. Also used for terms in descriptive lists, where appropriate. |
| monospace | Denotes text that you can enter at the keyboard, such as commands, file and program names, and source code. |
| <u>monospace</u> | Denotes a permitted abbreviation for a command or option. You can enter the underlined text instead of the full command or option name. |
| monospace <i>italic</i> | Denotes arguments to monospace text where the argument is to be replaced by a specific value. |
| monospace bold | Denotes language keywords when used outside example code. |
| <and> | Encloses replaceable terms for assembler syntax where they appear in code or code fragments. For example: MRC p15, 0 <Rd>, <CRn>, <CRm>, <Opcode_2> |
| SMALL CAPITALS | Used in body text for a few terms that have specific technical meanings, that are defined in the <i>ARM glossary</i> . For example, IMPLEMENTATION DEFINED, IMPLEMENTATION SPECIFIC, UNKNOWN, and UNPREDICTABLE. |

Timing diagrams

The figure named [Key to timing diagram conventions](#) explains the components used in timing diagrams. Variations, when they occur, have clear labels. You must not assume any timing information that is not explicit in the diagrams.

Shaded bus and signal areas are undefined, so the bus or signal can assume any value within the shaded area at that time. The actual level is unimportant and does not affect normal operation.



Key to timing diagram conventions

Signals

The signal conventions are:

- Signal level** The level of an asserted signal depends on whether the signal is active-HIGH or active-LOW. Asserted means:
- HIGH for active-HIGH signals.
 - LOW for active-LOW signals.
- Lower-case n** At the start or end of a signal name denotes an active-LOW signal.

Additional reading

See Infocenter, <http://infocenter.arm.com>, for access to ARM documentation.

ARM publications

This book contains information that is specific to this product. See the following documents for other relevant information:

- *ARM® Generic Interrupt Controller Architecture Specification* (ARM IHI 0048).
- *ARM Architecture Reference Manual, ARMv7-A and ARMv7-R edition* (ARM DDI 0406).
- *AMBA® AXI™ and ACE™ Protocol Specification, AXI3™, AXI4™, and AXI4-Lite™, ACE and ACE-Lite™* (ARM IHI0022).

Other publications

This section lists relevant documents published by third parties:

- *JEDEC Standard Manufacturer's Identification Code*, JEP106, <http://www.jedec.org>.

Feedback

ARM welcomes feedback on this product and its documentation.

Feedback on this product

If you have any comments or suggestions about this product, contact your supplier and give:

- The product name.
- The product revision or version.
- An explanation with as much information as you can provide. Include symptoms and diagnostic procedures if appropriate.

Feedback on content

If you have comments on content then send an e-mail to errata@arm.com. Give:

- The title.
- The number, ARM DDI 0471B.
- The page numbers to which your comments apply.
- A concise explanation of your comments.

ARM also welcomes general suggestions for additions and improvements.

———— **Note** —————

ARM tests the PDF only in Adobe Acrobat and Acrobat Reader, and cannot guarantee the quality of the represented document when used with any other PDF reader.

Chapter 1

Introduction

This chapter introduces the GIC-400. It contains the following sections:

- *About the GIC-400* on page 1-2.
- *Compliance* on page 1-4.
- *Interfaces* on page 1-5.
- *Configurable options* on page 1-6.
- *Product documentation* on page 1-7.
- *Product revisions* on page 1-8.

1.1 About the GIC-400

The GIC-400 is a high-performance, area-optimized interrupt controller with an *Advanced Microcontroller Bus Architecture (AMBA) Advanced eXtensible Interface (AXI)* interface. It detects, manages, and distributes interrupts in *System on Chip (SoC)* configurations. You can configure the GIC-400 to provide the optimum features, performance, and gate count required for your intended application. For a summary of the configurable features supported, see [Configurable options on page 1-6](#).

With the following software-configurable settings of the GIC-400, interrupts can be:

- Enabled or disabled.
- Assigned to one of two groups, Group 0 or Group 1.
- Prioritized.
- Signaled to different processors in multiprocessor implementations.
- Either level-sensitive or edge-triggered.

The GIC-400 implements:

- The GIC Security Extensions, that support:
 - Using Group 0 interrupts as Secure interrupts, and Group 1 interrupts as Non-secure interrupts.
 - Optionally, using the FIQ interrupt request to signal Secure interrupts to a connected processor. The GIC-400 always signals Group 1 interrupts using the IRQ interrupt request.
- The GIC Virtualization Extensions, that provide hardware support for managing virtualized interrupts.

For more information about the GIC Security Extensions and GIC Virtualization Extensions, see the *ARM Generic Interrupt Controller Architecture Specification*.

You can use the GIC-400 in a multiprocessor system with up to eight processors. The GIC-400 supports systems in which not every processor implements the ARM Security Extensions or the ARM Virtualization Extensions. In such cases, each processor uses only the features it is aware of. For information, see the *ARM Generic Interrupt Controller Architecture Specification*.

The GIC-400 implements the interrupt types:

- 16 *Software Generated Interrupts (SGIs)*.
- 6 external *Private Peripheral Interrupts (PPIs)* for each processor.

———— **Note** ————

Some PPIs have specific purposes, see [Interrupt inputs to the GIC-400 on page 2-8](#).

- 1 internal PPI for each processor.
- A configurable number of *Shared Peripheral Interrupt (SPIs)*, see [Configurable options on page 1-6](#).

The GIC-400 can assert the following signals to indicate pending interrupts to processors:

- Physical interrupts:
 - **nFIQCPU[*NUM_CPUS*–1:0]**.
 - **nIRQCPU[*NUM_CPUS*–1:0]**.
- Virtual interrupts, see [Virtual interrupts in the GIC-400 on page 2-10](#):
 - **nVFIQCPU[*NUM_CPUS*–1:0]**.
 - **nVIRQCPU[*NUM_CPUS*–1:0]**.

Figure 1-1 gives an overview of the GIC-400 in a multiprocessor system. It shows the interrupts that are sent to the GIC-400 from various sources and the key phases of interrupt-related signaling in the SoC.




Figure 1-1 GIC-400 overview

The GIC-400 detects PPIs and SPIs from interrupt input signals. There is one signal for each processor for every PPI interrupt ID. There is only one input signal for each SPI interrupt ID, irrespective of the number of processors in the SoC. SGIs do not have input signals and are generated in the GIC-400 using the AXI programming interface.

———— **Note** ————

The GIC-400 does not synchronize any inputs. Therefore, all input signals, including the SPI and PPI inputs, must be synchronous to **CLK**.

The GIC-400 notifies each processor of the presence of an interrupt or virtual interrupt by using interrupt output signals. There are also interrupt output signals to provide wakeup functionality to a system power controller, see [Power management on page 2-12](#).

Virtual interrupts are created and managed by special software that is executing on each processor that is running virtual machines. Such hypervisors are not part of the GIC-400 architecture but are necessary for virtualizing interrupts using the interrupt controller. For an overview on the hypervisor, see the *ARM Generic Interrupt Controller Architecture Specification*.

1.2 Compliance

The GIC-400 is compliant with the following:

- The AMBA AXI4 protocol, see the *AMBA AXI and ACE Protocol Specification* and [AXI slave interface signals on page A-5](#).
- Version 2 of the ARM GIC Architecture Specification, see the *ARM Generic Interrupt Controller Architecture Specification*.

The GIC-400 implements the GICv2 Security Extensions.

1.3 Interfaces

The GIC-400 provides an AMBA AXI4 slave interface. With this interface, you can program the Distributor, including generating SGIs, the CPU interfaces, and the virtual CPU interfaces. For information, see [AXI slave interface signals on page A-5](#).

The GIC-400 also supports a set of interrupt signals that it samples to generate PPIs and SPIs. It also generates signals to the wakeup controller and to the processors to indicate that there are valid pending interrupts in the physical and virtual CPU interfaces, see [Interrupt signals on page A-4](#).

1.4 Configurable options

Table 1-1 describes the parameters that you can configure in the GIC-400.

Table 1-1 GIC-400 parameters

| Parameter | Description |
|-----------------------|---|
| NUM_CPUS ^a | Number of processors in the SoC, from 1 to 8. This parameter determines the number of CPU interfaces and virtual CPU interfaces in the GIC-400. There is one CPU interface and one virtual CPU interface for each processor in the system. |
| NUM_SPIS ^a | Number of supported SPIS, from 0 to 480. Supported values are multiples of 32, for example 0, 32, 64, 96 or 480. |
| NUM_RID_BITS | Width of the AXI ID signals for reads. Value must be at least 1. For more information, see AXI slave interface signals on page A-5 . |
| NUM_WID_BITS | Width of the AXI ID signals for writes. Value must be at least 1. For more information, see AXI slave interface signals on page A-5 . |

- a. The values of the NUM_SPIS and NUM_CPUS parameters determine the reset value for the Interrupt Controller Type Register, GICD_TYPER. For information, see [Distributor register summary on page 3-4](#).

1.5 Product documentation

This section describes the GIC-400 documentation, how it relates to the design flow, and the relevant architectural standards and protocols.

Technical Reference Manual

The *Technical Reference Manual* (TRM) describes the functionality and the effects of functional options on the behavior of the GIC-400. It is required at all stages of the design flow. Some behavior described in the TRM might not be relevant because of the way that the GIC-400 is implemented and integrated. If you are programming the GIC-400 then contact:

- The implementer to determine the build configuration of the implementation.
- The integrator to determine the signal configuration of the SoC that you are using.

The TRM complements protocol specifications and relevant external standards. It does not duplicate information from these sources.

1.6 Product revisions

This section describes the differences in functionality between the product revisions:

r0p0 First release.

r0p0-r0p1 Functional changes are ID register value changed to reflect product revision status:

Distributor Implementer Identification Register

0x0200143B

CPU Interface Identification Register

0x0202143B

VM CPU Interface Identification Register

0x0202143B

Chapter 2

Functional Description

This chapter describes the GIC-400 operation. It contains the following sections:

- *Functional overview of the GIC-400* on page 2-2.
- *Secure and Non-secure access to the GIC-400* on page 2-7.
- *Interrupt inputs to the GIC-400* on page 2-8.
- *Maintenance interrupts in the GIC-400* on page 2-9.
- *Virtual interrupts in the GIC-400* on page 2-10.
- *Interrupt handling and prioritization in the GIC-400* on page 2-11.
- *Power management* on page 2-12.
- *Behavior when the Distributor is disabled* on page 2-13.

2.1 Functional overview of the GIC-400

The GIC-400 implements the partitioning that the *ARM Generic Interrupt Controller Architecture Specification* describes. It consists of a Distributor and one CPU interface and virtual CPU interface for each processor in the system.

The GIC-400 implements the optional GIC Virtualization Extensions enabling it to manage virtual interrupts, provided that at least one processor in the system implements the hypervisor. Although the hypervisor software translates physical interrupts into virtual interrupts and handles complex cases, the GIC-400 often handles acknowledge and end of interrupt accesses from the virtual machine in hardware. The hypervisor running on the processor and the virtual interface control block in the GIC-400 form the virtual distributor. For information, see [Virtual CPU interfaces and virtual interface control registers on page 2-4](#).

———— **Note** —————

The hypervisor is not part of the GIC-400 architecture. It is software running on the processor as Non-secure software, at privilege level PL2. It is supported by the ARMv7-A Architecture Virtualization Extensions. For more information, see the *ARM Architecture Reference Manual, ARMv7-A and ARMv7-R edition*.

[Table 2-1](#) shows the main functional blocks of the GIC-400.

Table 2-1 GIC-400 partitioning

| Functional block | Register prefix | Instances | Description |
|-------------------------------------|-----------------|-------------------------------------|---|
| Clock and reset | N/A | N/A | All configurations of the GIC-400 use a single clock input, CLK and a single reset input, nRESET . See Clock and reset signals on page A-2 . |
| AXI4 interface | N/A | 1 | Provides access to the GIC-400 registers that enable you to program the GIC-400 and obtain status information. See AXI slave interface signals on page A-5 . |
| Distributor | GICD_ | 1 | Detects and prioritizes interrupts, and forwards them to the target CPU interfaces. See Distributor on page 2-4 . |
| CPU interface | GICC_ | 1 for each processor in the SoC | Performs priority masking and preemption handling of physical interrupts, signals them to the corresponding processor, and receives acknowledge and <i>End of Interrupt</i> (EOI) accesses from that processor. See CPU interfaces on page 2-4 . |
| Virtual interface control registers | GICH_ | 1 set for each processor in the SoC | Allow the hypervisor to control the information presented to the virtual machines by the virtual CPU interface. See Virtual interface control block on page 2-5 . |
| Virtual CPU interface | GICV_ | 1 for each processor in the SoC | Performs priority masking and preemption handling of virtual interrupts, signals them to virtual machines, and receives acknowledge and EOI accesses from those virtual machines. See Virtual CPU interfaces on page 2-5 . |

2.1.1 Clock and reset

All configurations of the GIC-400 use a single clock input, **CLK** and a single reset input, **nRESET**. For information, see [Clock and reset signals on page A-2](#).

Note

Clock and reset signals apply to all interfaces on the GIC-400 and all interfaces must be synchronous to this clock. Therefore, synchronizer cells might be required for certain inputs.

2.1.2 AXI4 interface

The GIC-400 uses an AMBA AXI4 slave interface.

There are no separate AXI clock and reset signals in the GIC-400. All interfaces are synchronous to the master clock input.

Note

In many cases, the GIC-400 might be compatible with an AXI3 master. However, the AXI4 protocol does not support the AXI3 features of locked transactions and write-interleaving and clarifies the meaning of the **AWCACHE** and the **ARCACHE** signals. Therefore, to ensure that the GIC-400 is operating correctly, you must configure any AXI3 masters not to issue locked transactions or interleave write data. You must also check that all interconnects obey the restrictions set out by the AXI4 definitions of **AWCACHE** and the **ARCACHE** for the relevant transaction type, which is typically expected to be Device Bufferable. For information on legacy considerations in AXI4, see the *AMBA AXI and ACE Protocol Specification*.

The **AWUSER** and **ARUSER** signals are specific to the GIC-400. They indicate to the GIC-400 which processor is performing a request. Identifying the requestor is necessary to determine to which CPU interface or virtual CPU interface an AXI access should be directed. Furthermore, this is needed for some Distributor register accesses, such as the GICD_SGIR, as well.

The format of the **AWUSER** and **ARUSER** signals is a binary number from 0 to NUM_CPUS-1, inclusive. The only strict requirement to generate the **AWUSER** and **ARUSER** signals is that the chosen numbering scheme must represent a consistent mapping between the processors and the range of legal encodings. Processors can discover their ID that the GIC-400 uses by reading from the *Interrupt Processor Targets Register0*, GICD_ITARGETSR0.

[Table 2-2](#) shows the AXI slave attributes and their values.

Table 2-2 AXI slave interface attributes

| Attribute | Value |
|-------------------------------------|-------|
| Combined acceptance capability | 1 |
| Read acceptance capability | 1 |
| Read data reorder depth | 1 |
| Write acceptance capability | 1 |
| Write interleave depth ^a | 1 |

- a. AXI4 Does not support write interleaving. Therefore, an AXI 3 master must be set not to interleave writes.

2.1.3 Distributor

The GIC-400 Distributor receives interrupts and presents the highest priority pending interrupt to each CPU interface.




Figure 2-1 Handling physical interrupts with the Distributor

Furthermore, the GIC-400 implements the *Interrupt Group Registers*, GICD_IGROUPRn, that control whether each interrupt is configured as Group 0 or Group 1. The interrupt group affects whether the interrupt can be forwarded to the CPU interfaces and it also has an impact on later routing decisions in the CPU interfaces, potentially including whether it is signaled to the processor as a FIQ or an IRQ exception request.

The Distributor provides 6 external PPI inputs and the internal virtual maintenance PPI for each processor, and from 0 to 480 SPIs in multiples of 32. The PPIs are independent for each processor and the Distributor only forwards them to the corresponding CPU interface. You can program the Distributor to control the CPU interface to which it routes each SPI.

2.1.4 CPU interfaces

Each CPU interface signals interrupts to the corresponding processor and receives acknowledge and EOI accesses from that processor. These AXI accesses convey the interrupt ID and other information about the interrupt, and also trigger updates to the Distributor state.

The CPU interface only signals pending interrupts to the processor if the interrupt has sufficient priority. Whether an interrupt has sufficient priority is determined by the configuration of the CPU interface and the priority of certain active interrupts. For more information, see the *ARM Generic Interrupt Controller Architecture Specification*.

2.1.5 Virtual CPU interfaces and virtual interface control registers

The GIC-400 implements the optional GIC Virtualization Extensions. A group of functional components of the GIC-400 and some software in the processor form a virtual distributor that has a role similar to the physical Distributor. Together, the hypervisor and the virtual interface control registers form a virtual distributor:

1. The hypervisor creates virtual interrupts for the physical interrupts and assigns them a priority.
2. Each set of virtual CPU interface control registers prioritizes the virtual interrupts and forwards the highest priority pending interrupt to its corresponding virtual CPU interface.

The hypervisor supports virtualization also by using address translation tables to trap accesses that the virtual machines make to the virtual distributor. The hypervisor determines the effect of these accesses and might typically update the virtual interface control registers as a result.

Figure 2-2 shows how the virtual distributor is implemented partly in the GIC-400, partly in the processor and how it interacts with the Distributor and the virtual CPU interfaces in the GIC-400. The GIC-400 implements the virtual interface control registers, namely the GICH_ registers and the processor implements the hypervisor.




Figure 2-2 Handling virtual interrupts with the virtual distributor

Virtual interface control block

The GIC-400 implements the virtual interface control block with all the management registers and with four List registers. The List registers, GICH_LR0 - GICH_LR3, are a subset of the virtual interface control registers and define the active and pending virtual interrupts for the virtual CPU interface. The management registers, for example the *Virtual Machine Control Register*, GICH_VMCR, and *Active Priorities Register*, GICH_APR, enable the hypervisor to manage other aspects of the corresponding virtual CPU interface, and permit it to save and restore state when switching between virtual machines.

Virtual CPU interfaces

The virtual CPU interface registers are similar to the CPU interface registers. However, the virtual CPU interfaces receive information from the virtual interface control registers, which are managed by the hypervisor, rather than from the Distributor.

After receiving a physical interrupt or otherwise, if the hypervisor needs to signal a virtual interrupt to the current virtual machine, it typically updates the virtual interface control registers. These registers, specifically the List registers, GICH_LRn, hold a list of the virtual interrupts destined for the current virtual machine. The signaling, acknowledgement and EOI steps of the virtual interrupt processing can usually be handled in hardware by the virtual CPU interface. Certain cases might require hypervisor intervention, for example if there are more virtual interrupts than can be stored in the List registers. The virtual interface control registers control when an internal PPI, known as the virtual maintenance interrupt, is generated. This virtual maintenance interrupt, PPI ID 25, is designed to notify the hypervisor of events that it must handle.

The address translation tables for the processor are normally configured so that accesses to the CPU interface by a virtual machine are directed to the virtual CPU interface. This ensures that the virtualization of the CPU interface is transparent to the virtual machine.

Hypervisor

The hypervisor is not part of the GIC-400 but it is crucial for its operation. It is software executing on each processor that is running virtual machines:

- It is responsible for translating physical interrupts to virtual interrupts and managing all virtual interrupts by using the virtual interface control registers.
- It can also configure the virtual maintenance interrupt to signal situations when it must manage the virtual interrupts.
- It typically sets the stage 2 Non-secure address translation tables so that the virtual machines access the virtual CPU interfaces instead of the physical interfaces.
- The hypervisor is responsible for virtualizing accesses from the virtual machines to the Distributor, typically by trapping the accesses and handling them in software.

For information, see the *ARM Architecture Reference Manual, ARMv7-A and ARMv7-R edition*.

Note

ARM processors support the use of a hypervisor when they implement the ARM Virtualization Extensions. For information on extension versions and their dependencies on other ARM processor extensions, see the *ARM Architecture Reference Manual, ARMv7-A and ARMv7-R edition*.

2.2 Secure and Non-secure access to the GIC-400

For information about Secure and Non-secure accesses to the GIC, and the implications for processors that do not implement the ARM Security Extensions, see the *ARM Generic Interrupt Controller Architecture Specification*.

2.3 Interrupt inputs to the GIC-400

This section describes the different types of interrupt that the GIC-400 handles. See also [Behavior when the Distributor is disabled on page 2-13](#).

2.3.1 SGIs

SGIs are generated by writing to the *Software Generated Interrupt Register*, GICD_SGIR. Each CPU interface can generate a maximum of 16 SGIs, ID0-ID15, for each target processor.

2.3.2 PPIs

A PPI is an interrupt that is specific to a single processor. All PPI signals are active-LOW level-sensitive. [Table 2-3](#) shows the PPIs that are available for each processor.

Table 2-3 PPI types

| Interrupt ID | Source | Description |
|--------------|-------------------------------|--|
| 31 | Legacy IRQ signal | When the power management bypass functionality is enabled in a CPU interface, the legacy IRQ signal is driven on its nIRQCPU output. See Power management on page 2-12 . This interrupt input also behaves like a normal PPI input at all times. |
| 30 | Non-secure physical timer | This is the event generated by the Non-secure physical timer. |
| 29 | Secure physical timer | This is the event generated by the Secure physical timer. |
| 28 | Legacy FIQ signal | When the power management bypass functionality is enabled in a CPU interface, the legacy FIQ signal is driven on its nFIQCPU output. See Power management on page 2-12 . This interrupt input also behaves like a normal PPI input at all times. |
| 27 | Virtual timer | This is the event generated by the virtual timer. |
| 26 | Hypervisor timer | This is the event generated by the physical timer in Hyp mode. |
| 25 | Virtual maintenance interrupt | This is a configurable event generated by the corresponding virtual CPU interface to indicate a situation that might require hypervisor action. |

2.3.3 SPIs

SPIs are triggered by events generated on associated interrupt input lines. The GIC-400 can support up to 480 SPIs corresponding to the external **IRQS[479:0]** signal. The number of SPIs available depends on the implemented configuration of the GIC-400. The permitted values are 0-480, in steps of 32. SPIs start at ID32. You can configure whether each SPI is edge-triggered on a rising edge or is active-HIGH level-sensitive.

———— **Note** ————

All signals, including SPIs, must be synchronous to the clock in the GIC-400. Therefore, any interrupt signals from an asynchronous source must be synchronized before they are connected to the GIC-400.

2.3.4 Lockable SPIs (LSPIs)

The GIC-400 supports 31 LSPIs, as it is indicated by the LSPI field in the *Interrupt Controller Type Register*, GICD_TYPER. For more information, see the *ARM Generic Interrupt Controller Architecture Specification*.

2.4 Maintenance interrupts in the GIC-400

See [PPIs on page 2-8](#) and the *ARM Generic Interrupt Controller Architecture Specification*.

2.5 Virtual interrupts in the GIC-400

The GIC-400 supports interrupt virtualization to assert virtual interrupts to virtual machines using the virtual CPU interfaces. Virtual interrupts can be created only if the processor has a hypervisor to manage the virtual machines in the SoC and perform the translation from the physical to virtual interrupt. For information, see the *ARM Generic Interrupt Controller Architecture Specification*.

2.6 Interrupt handling and prioritization in the GIC-400

In the GIC-400, the Distributor arbitrates physical interrupts and the virtual distributor arbitrates virtual interrupts according to the same principles.

The GIC-400 implements the interrupt handling and prioritization of the *ARM Generic Interrupt Controller Architecture Specification*. The following IMPLEMENTATION DEFINED properties are particular to the GIC-400:

- The GIC-400 implements 32 priority levels in Secure state and 16 priority [levels](#) in Non-secure state.
- If two or more interrupts have the same priority level, the arbitration depends on the type of the interrupts:
 - PPI, SPI** The Distributor issues the interrupt with the lowest ID.
 - SGI** The Distributor issues the SGI with the lowest ID. In multiprocessor systems, if a priority level conflict remains, the Distributor issues the SGI that was generated by the processor with the lowest CPUID. Therefore, when a priority level conflict occurs, an SGI request from processor 0 is given preference over other SGIs with that same ID.
- Writing to the Interrupt Priority Registers, GICD_IPRIORITYR, does not affect the priority of an active interrupt.

Note

Various factors, including other processors, have an impact on the interrupt outputs from the GIC-400 CPU interfaces. This means that the GIC-400 might be unsuitable for use with processors that place requirements on when their IRQ and FIQ inputs can be asserted or deasserted.

2.7 Power management

The GIC-400 implements the bypass functionality as specified by the GIC architecture specification. This means that if a CPU interface processor output, such as one bit of **nFIQCPU**, is disabled, the GIC-400 is bypassed unless the bypass functionality is itself disabled. Bypassing means that the GIC-400 drives the corresponding legacy input on the processor interrupt output, for instance one bit of **nLEGACYFIQ** driving the same bit of **nFIQCPU**. This is the behavior from reset.

The bypass functionality can be disabled so that when the CPU interface processor output is disabled, the output signal is deasserted rather than bypassed. This is typically used when powering down a processor to ensure that when the CPU interface is disabled, the legacy interrupt inputs do not wake the processor. Bypassing can be disabled using the *CPU Interface Control Register*, **GICC_CTLR**.

The GIC-400 supports wakeup events in systems that require power management. It signals these wakeup events using **nIRQOUT** and **nFIQOUT**, which ignore the CPU interface enable bits, unlike the processor output signals, **nIRQCPU** and **nFIQCPU**. As a result, the wakeup outputs are always enabled and so do not support bypass or bypass disable functionality.

For information about power management, wakeup signals and their relation to the processor outputs, see the *ARM Generic Interrupt Controller Architecture Specification*.

2.8 Behavior when the Distributor is disabled

If at least one of the GICD_CTLR.EnableGrp0 or GICD_CTLR.EnableGrp1 bits is 0, the following apply:

- An edge-triggered interrupt signal cannot set the interrupt to the pending state if the interrupt is in a disabled group.
- SGIs in a disabled group cannot be set pending using the GICD_SGIR.
- The interrupt input signal for a level-sensitive interrupt in a disabled group is masked when the GIC-400 is reading from the GICD_ISPENDRn or the GICD_ICPENDRn.

If either, but not both, of the GICD_CTLR.EnableGrp0 and GICD_CTLR.EnableGrp1 bits is set to 1, and the highest priority pending interrupt is in the disabled group, the Distributor does not forward any pending interrupts to the CPU interfaces. This applies in the following cases:

- GICD_CTLR.EnableGrp0 is set to 0 and GICD_CTLR.EnableGrp1 is set to 1, and the highest priority pending interrupt is in Group 0.
- GICD_CTLR.EnableGrp0 is set to 1 and GICD_CTLR.EnableGrp1 is set to 0, and the highest priority pending interrupt is in Group 1.

This means that, in cases where there are Group 1 interrupts with a higher priority than some Group 0 interrupts, it is possible for Non-secure software to deny service to Secure software, by clearing the GICD_CTLR.EnableGrp1 bit. To prevent this, ARM strongly recommends that all Group 0 interrupts are assigned a higher priority than all Group 1 interrupts. In addition, to prevent Secure software from denying service to Non-secure software, Secure software must ensure that when GICD_CTLR.EnableGrp1 is set to 1, either GICD_CTLR.EnableGrp0 is also set to 1, or there are no pending Group 0 interrupts.

For more information, see the *ARM Generic Interrupt Controller Architecture Specification*.

Chapter 3

Programmers Model

This chapter describes the GIC-400 registers and provides information about programming the device. It contains the following sections:

- *About the GIC-400 programmers model on page 3-2.*
- *GIC-400 register map on page 3-3.*
- *Distributor register summary on page 3-4.*
- *Distributor register descriptions on page 3-6.*
- *CPU interface register summary on page 3-10.*
- *CPU interface register descriptions on page 3-11.*
- *GIC virtual interface control register summary on page 3-12.*
- *GIC virtual interface control register descriptions on page 3-13.*
- *GIC virtual CPU interface register summary on page 3-14.*
- *GIC virtual CPU interface register descriptions on page 3-15.*

3.1 About the GIC-400 programmers model

The GIC-400 implements the following registers:

- Distributor registers, see *Distributor register summary* on page 3-4.
- CPU interface registers, see *CPU interface register summary* on page 3-10.
- GIC virtual interface control registers, see *GIC virtual interface control register summary* on page 3-12.
- GIC virtual CPU interface registers, see *GIC virtual CPU interface register summary* on page 3-14.

The following information applies to the GIC-400 registers:

- The base address of the GIC-400 is not fixed, and can be different for a particular system implementation. The offset of each register from the base address is fixed.
- Access to reserved or unused address locations is RAZ/WI (Read-as-Zero, Writes Ignored).
- Unless otherwise stated in the accompanying text:
 - Do not modify reserved register bits.
 - Ignore reserved register bits on reads.
 - All register bits are reset to 0 by a system or power-on reset.
- The bus width of the GIC-400 is 32 bits. The *ARM Generic Interrupt Controller Architecture Specification* defines the permitted sizes of access. When byte access is permitted, halfword access is also permitted. Byte or halfword accesses to registers that do not permit that access size return a SLVERR response if they are unsuccessful.
- The GIC-400 only supports data in little-endian format.
- This chapter describes the access types as follows:
 - RAZ/WI** Read-as-Zero, Writes Ignored
 - RO** Read only
 - RW** Read and write
 - WO** Write only.

3.2 GIC-400 register map

All of the GIC-400 registers have short names. In these names, the first three characters are GIC, and the fourth character indicates the functional block of the GIC-400:

- GICD_** Distributor
- GICC_** CPU interfaces
- GICH_** Virtual interface control blocks
- GICV_** Virtual CPU interfaces.

The GIC-400 provides the following register aliases for the virtual interface control block:

- An alias that provides access to the virtual CPU interface of the accessing processor using a single base address for all processors. This base address is at offset 0x4000.
- Aliases that permit any virtual CPU interface to be accessed explicitly from any other processor, using a different base address for each processor. The starting base address is at offset 0x5000, with address bits [11:9] as the CPU ID decode.

The GIC-400 registers are memory-mapped. [Table 3-1](#) lists the address ranges.

Table 3-1 GIC-400 memory map

| Address range | GIC-400 functional block |
|---------------|--|
| 0x0000-0x0FFF | Reserved |
| 0x1000-0x1FFF | Distributor |
| 0x2000-0x3FFF | CPU interfaces |
| 0x4000-0x4FFF | Virtual interface control block, for the processor that is performing the access |
| 0x5000-0x5FFF | Virtual interface control block, for the processor selected by address bits [11:9] |
| | 0x5000-0x51FF Alias for Processor 0 |
| | 0x5200-0x53FF Alias for Processor 1 |
| | |
| | 0x5E00-0x5FFF Alias for Processor 7 |
| 0x6000-0x7FFF | Virtual CPU interfaces |

3.2.1 GIC-400 register access and banking

For information on the register access and banking scheme, see the *ARM Generic Interrupt Controller Architecture Specification*. The key characteristics of the scheme are:

- Some registers, such as the *Distributor Control Register*, GICD_CTLR, and the *CPU Interface Control Register*, GICC_CTLR, are security Banked. This provides separate Secure and Non-secure copies of the registers. Secure AXI accesses access Secure registers, and Non-secure AXI accesses access Non-secure registers. Furthermore, when the GIC-400 is implemented as part of a multiprocessor system, registers associated with PPIs or SGIs are Banked to provide a separate copy for each connected processor.
- Some registers, such as the *Interrupt Group Registers*, GICD_IGROUPRn, are only accessible by Secure accesses.
- Non-secure accesses to registers or parts of a register that are only accessible to Secure accesses are RAZ/WI for that part.

For more information, see the *ARM Generic Interrupt Controller Architecture Specification*.

3.3 Distributor register summary

Table 3-2 lists the Distributor registers in base offset order and provides a reference to the register description that either this book or the *ARM Generic Interrupt Controller Architecture Specification* describes.

Offsets that are not shown are reserved.

Table 3-2 Distributor register summary

| Offset | Name ^a | Type | Reset | Full name ^b |
|-------------|-------------------|-----------------|--|---|
| 0x000 | GICD_CTLR | RW | 0x00000000 ^c | Distributor Control Register |
| 0x004 | GICD_TYPER | RO | Configuration-dependent ^d | Interrupt Controller Type Register |
| 0x008 | GICD_IIDR | RO | 0x0200143B | <i>Distributor Implementer Identification Register, GICD_IIDR on page 3-6</i> |
| 0x080-0x0BC | GICD_IGROUPRn | RW | 0x00000000 | Interrupt Group Registers ^e |
| 0x100 | GICD_ISENBALERn | RW ^f | SGIs and PPIs: 0x0000FFFF ^g | Interrupt Set-Enable Registers |
| 0x104-0x13C | | | SPIs: 0x00000000 | |
| 0x180 | GICD_ICENABLERn | RW ^f | 0x0000FFFF ^g | Interrupt Clear-Enable Registers |
| 0x184-0x1BC | | | 0x00000000 | |
| 0x200-0x23C | GICD_ISPENDRn | RW | 0x00000000 | Interrupt Set-Pending Registers |
| 0x280-0x2BC | GICD_ICPENDRn | RW | 0x00000000 | Interrupt Clear-Pending Registers |
| 0x300-0x33C | GICD_ISACTIVERn | RW | 0x00000000 | Interrupt Set-Active Registers |
| 0x380-0x3BC | GICD_ICACTIVERn | RW | 0x00000000 | Interrupt Clear-Active Registers |
| 0x400-0x5FC | GICD_IPRIORITYRn | RW | 0x00000000 | Interrupt Priority Registers |
| 0x800-0x81C | GICD_ITARGETSRn | RO ^h | - | Interrupt Processor Targets Registers ⁱ |
| 0x820-0x9FC | | RW | 0x00000000 | |
| 0xC00 | GICD_ICFGRn | RO | SGIs: 0xAAAAAAAA | <i>Interrupt Configuration Registers, GICD_ICFGRn on page 3-6</i> |
| 0xC04 | | RO | PPIs: 0x55540000 | |
| 0xC08-0xC7C | | RW ^j | SPIs: 0x55555555 | |
| 0xD00 | GICD_PPISR | RO | 0x00000000 | <i>Private Peripheral Interrupt Status Register, GICD_PPISR on page 3-7</i> |
| 0xD04-0xD3C | GICD_SPISRn | RO | 0x00000000 | <i>Shared Peripheral Interrupt Status Registers, GICD_SPISRn on page 3-7</i> |
| 0xF00 | GICD_SGIR | WO | - | Software Generated Interrupt Register |
| 0xF10-0xF1C | GICD_CPENDSGIRn | RW | 0x00000000 | SGI Clear-Pending Registers |
| 0xF20-0xF2C | GICD_SPENDSGIRn | RW | 0x00000000 | SGI Set-Pending Registers |
| 0xFD0 | GICD_PIDR4 | RO | 0x00000004 | Peripheral ID 4 Register |
| 0xFD4 | GICD_PIDR5 | RO | 0x00000000 | Peripheral ID 5 Register |
| 0xFD8 | GICD_PIDR6 | RO | 0x00000000 | Peripheral ID 6 Register |

Table 3-2 Distributor register summary (continued)

| Offset | Name ^a | Type | Reset | Full name ^b |
|--------|-------------------|------|------------|--------------------------|
| 0xFDC | GICD_PIDR7 | RO | 0x00000000 | Peripheral ID 7 Register |
| 0xFE0 | GICD_PIDR0 | RO | 0x00000090 | Peripheral ID 0 Register |
| 0xFE4 | GICD_PIDR1 | RO | 0x000000B4 | Peripheral ID 1 Register |
| 0xFE8 | GICD_PIDR2 | RO | 0x0000002B | Peripheral ID 2 Register |
| 0xFEC | GICD_PIDR3 | RO | 0x00000000 | Peripheral ID 3 Register |
| 0xFF0 | GICD_CIDR0 | RO | 0x0000000D | Component ID 0 Register |
| 0xFF4 | GICD_CIDR1 | RO | 0x000000F0 | Component ID 1 Register |
| 0xFF8 | GICD_CIDR2 | RO | 0x00000005 | Component ID 2 Register |
| 0xFFC | GICD_CIDR3 | RO | 0x000000B1 | Component ID 3 Register |

- a. n corresponds to the number of a CPU interface.
- b. For the description of registers that are not specific to the GIC-400, see the *ARM Generic Interrupt Controller Architecture Specification*.
- c. You cannot modify the EnableGrp0 bit if **CFGSDISABLE** is set.
- d. The reset value depends on the configuration of the GIC-400. The configuration-dependent values are two fields of the *Interrupt Controller Type Register*, GICD_TYPER:

LSPI, bits [15:11] 11111, see *Lockable SPIs (LSPIs)* on page 2-8.

SecurityExtn, bit [10] 1

CPUNumber, bits [7:5] Has the value of (NUM_CPUS-1), see *Configurable options* on page 1-6.

ITLinesNumber, bits [4:0] Has the value of NUM_SPIS/32, see *Configurable options* on page 1-6.

ITLinesNumber expresses that the GIC supports at most (ITLinesNumber+1)*32 interrupts, that is, the potentially implemented interrupt IDs are 0 to ((ITLinesNumber+1)*32-1). This information can then be used by software to restrict the range of interrupts that are accessed during interrupt discovery. In the GIC-400, all interrupts are implemented except for the unused PPIs, IDs 16-24.

For NUM_SPIS=0, ITLinesNumber=0, which gives a maximum of 32 interrupts, with the ID range 0-31. So for this example, IDs 0-15 (all SGIs) and 25-31 (some PPIs) are implemented.

For NUM_SPIS=64, ITLinesNumber=2, which gives a maximum of 96 interrupts, IDs 0-95. IDs 16-24 are unimplemented in this example as well.

For information, see the *ARM Generic Interrupt Controller Architecture Specification*.

- e. This register is only accessible from a Secure access.
- f. Writes to bits corresponding to the SGIs are ignored.
- g. The reset value for the register that contains the SGI and PPI interrupts is 0x0000FFFF because SGIs are always enabled. However, SGIs are Group 0 on reset, so the reset value for Non-secure reads is 0x00000000.
- h. The registers that contain the SGI and PPI interrupts are read-only and the value is the CPU number of the current access. It is encoded in an 8-bit one-hot field, for each implemented interrupt, and zero for interrupts that are not implemented. For more information on CPU targets field bit values, see the *ARM Generic Interrupt Controller Architecture Specification*.
- i. In uniprocessor systems, these registers are RAZ/WI. For information, see the *ARM Generic Interrupt Controller Architecture Specification*.
- j. The even bits of this register are RO, see *Interrupt Configuration Registers, GICD_ICFGRn* on page 3-6.

3.4 Distributor register descriptions

This section only describes the Distributor registers whose implementation is specific to the GIC-400. The *ARM Generic Interrupt Controller Architecture Specification* describes all the other registers.

3.4.1 Distributor Implementer Identification Register, GICD_IIDR

The GICD_IIDR characteristics are:

- Purpose** Provides information about the implementer and revision of the Distributor.
- Usage constraints** There are no usage constraints.
- Configurations** Always present in the GIC-400.
- Attributes** See the register summary in [Table 3-2 on page 3-4](#).

[Figure 3-1](#) shows the bit assignments.




Figure 3-1 GICD_IIDR bit assignments

[Table 3-3](#) shows the bit assignments.

Table 3-3 GICD_IIDR bit assignments

| Bits | Name | Description |
|---------|-------------|---|
| [31:24] | ProductID | Indicates the product ID: 0x02 GIC-400 |
| [23:20] | - | Reserved, RAZ |
| [19:16] | Variant | Indicates the major revision or variant of the product: 0x0 variant number |
| [15:12] | Revision | Indicates the minor revision of the product: 0x1 revision number |
| [11:0] | Implementer | Indicates the implementer: 0x43B ARM |

3.4.2 Interrupt Configuration Registers, GICD_ICFGRn

For information on the *Interrupt Configuration Registers*, GICD_ICFGRn, see the *ARM Generic Interrupt Controller Architecture Specification*.

———— **Note** ————

The GIC-400 also implements the legacy encoding of the even bits in the register, designated `Int_config[0]` in the architecture specification. The `Int_config[0]` bits are always read-only and are only provide support for legacy software. They must not be used by new software.

3.4.3 Private Peripheral Interrupt Status Register, GICD_PPISR

The GICD_PPISR characteristics are:

- Purpose** Enables a processor to access the status of the PPI inputs on the Distributor.
- Usage constraints** A processor can only read the status of its own PPI and cannot read the status of PPIs for other processors. Non-secure accesses can only read the status of Group 1 interrupts.
- Configurations** Always present in the GIC-400.
- Attributes** See the register summary in [Table 3-2 on page 3-4](#).

[Figure 3-2](#) shows the bit assignments.




Figure 3-2 GICD_PPISR bit assignments

[Table 3-4](#) shows the bit assignments.

Table 3-4 GICD_PPISR bit assignments

| Bits | Name | Description |
|---------|------------|---|
| [31:16] | - | Reserved, RAZ. |
| [15:9] | PPI status | <p>Asserted when the PPI inputs to the Distributor are active.</p> <p>ID 31 nLEGACYIRQ signal</p> <p>ID 30 Non-secure physical timer event</p> <p>ID 29 Secure physical timer event</p> <p>ID 28 nLEGACYFIQ signal</p> <p>ID 27 Virtual timer event</p> <p>ID 26 Hypervisor timer event</p> <p>ID 25 Virtual maintenance interrupt.</p> <p>———— Note —————</p> <p>These bits return the actual status of the PPI signals. The first <i>Interrupt Set-Pending Register</i>, GICD_ISPENDR0 and <i>Interrupt Clear-Pending Register</i>, GICD_ICPENDR0, can also provide the PPI status but because you can write to these registers, they might not contain the true status of the PPI input signals.</p> |
| [8:0] | - | Reserved, RAZ. |

3.4.4 Shared Peripheral Interrupt Status Registers, GICD_SPISRn

The GICD_SPISRn characteristics are:

- Purpose** Enables a processor to access the status of the IRQS inputs on the Distributor.

Usage constraints Non-secure accesses can only read the status of Group 1 interrupts.

Configurations Always present in the GIC-400.

Attributes See the register summary in [Table 3-2 on page 3-4](#).

[Figure 3-3](#) shows the bit assignments.




Figure 3-3 GICD_SPISRn bit assignments

[Table 3-5](#) shows the bit assignments.

Table 3-5 GICD_SPISRn bit assignments

| Bits | Name | Function |
|--------|--------------|---|
| [31:0] | IRQS[N+31:N] | Returns the status of the IRQS inputs on the Distributor. For each bit: 0 IRQS is LOW 1 IRQS is HIGH. <hr/> Note <ul style="list-style-type: none"> The IRQS that a bit refers to depends on its bit position and the base address offset of the <i>Shared Peripheral Interrupt Status Registers</i>, GICD_SPISRn. These bits return the actual status of the IRQS signals. The first <i>Interrupt Set-Pending Register</i>, GICD_ISPENDR0 and <i>Interrupt Clear-Pending Register</i>, GICD_ICPENDR0, can also provide the IRQS status but because you can write to these registers, they might not contain the actual status of the IRQS signals. |

[Figure 3-4 on page 3-9](#) shows the address map of the GICD_SPISRn.




Figure 3-4 GICD_SPISR address map

The Distributor provides up to 15 registers to support 480 SPIs. If you configure the GIC-400 to use fewer than 480 SPIs, it reduces the number of registers accordingly. For locations where interrupts are not implemented, the register is RAZ/WI.

3.5 CPU interface register summary

This section provides an overview of the CPU interface registers. [Table 3-6](#) shows the CPU interface registers and provides a reference to the register description that either this book or the *ARM Generic Interrupt Controller Architecture Specification* describes.

Table 3-6 CPU interface register summary

| Offset | Name | Type | Reset | Description ^a |
|--------|-------------|------|-------------------------|--|
| 0x0000 | GICC_CTLR | RW | 0x00000000 | CPU Interface Control Register |
| 0x0004 | GICC_PMR | RW | 0x00000000 | Interrupt Priority Mask Register |
| 0x0008 | GICC_BPR | RW | 0x00000002 ^b | Binary Point Register The minimum value of the Binary Point Register depends on which security-banked copy is considered: 0x2 Secure copy 0x3 Non-secure copy |
| 0x000C | GICC_IAR | RO | 0x000003FF | Interrupt Acknowledge Register |
| 0x0010 | GICC_EOIR | WO | - | End of Interrupt Register |
| 0x0014 | GICC_RPR | RO | 0x000000FF | Running Priority Register |
| 0x0018 | GICC_HPPIR | RO | 0x000003FF | Highest Priority Pending Interrupt Register ^c |
| 0x001C | GICC_ABPR | RW | 0x00000003 | Aliased Binary Point Register ^d The minimum value of the Aliased Binary Point Register is 0x3. |
| 0x0020 | GICC_AIAR | RO | 0x000003FF | Aliased Interrupt Acknowledge Register ^d |
| 0x0024 | GICC_AEOIR | WO | - | Aliased End of Interrupt Register ^d |
| 0x0028 | GICC_AHPPIR | RO | 0x000003FF | Aliased Highest Priority Pending Interrupt Register ^{cd} |
| 0x00D0 | GICC_APR0 | RW | 0x00000000 | Active Priority Register |
| 0x00E0 | GICC_NSAPR0 | RW | 0x00000000 | Non-Secure Active Priority Register ^d |
| 0x00FC | GICC_IIDR | RO | 0x0202143B | <i>CPU Interface Identification Register; GICC_IIDR on page 3-11</i> |
| 0x1000 | GICC_DIR | WO | - | Deactivate Interrupt Register |

- a. For the description of registers that are not specific to the GIC-400, see the *ARM Generic Interrupt Controller Architecture Specification*.
- b. This is the reset value for a Secure read. The Non-secure copy resets to 0x3.
- c. This register returns the highest priority pending interrupt even when the appropriate GICC_CTLR.EnableGrp bit is set to 0.
- d. This register is only accessible to Secure accesses.

3.6 CPU interface register descriptions

This section only describes the CPU interface register whose implementation is specific to the GIC-400. The *ARM Generic Interrupt Controller Architecture Specification* describes all the other registers.

3.6.1 CPU Interface Identification Register, GICC_IIDR

The GICC_IIDR characteristics are:

Purpose Provides information about the implementer and revision of the CPU interface.

Usage constraints. There are no usage constraints.

Configurations Always present in the GIC-400.

Attributes See the register summary in [Table 3-6 on page 3-10](#).

[Figure 3-5](#) shows the bit assignments.




Figure 3-5 GICC_IIDR bit assignments

[Table 3-7](#) shows the bit assignments.

Table 3-7 GICC_IIDR bit assignments

| Bit | Name | Function |
|---------|----------------------|---|
| [31:20] | ProductID | Identifies the product ID: 0x020 GIC-400 |
| [19:16] | Architecture version | Identifies the architecture version of the GIC-400: 0x2 version 2.0 |
| [15:12] | Revision | Identifies the revision number for the CPU interface. For the GIC-400: 0x1 revision r0p1 |
| [11:0] | Implementer | Contains the JEP106 code of the company that implemented the CPU interface. 0x43B ARM |

3.7 GIC virtual interface control register summary

The GIC virtual interface control registers are management registers. Software must ensure they are accessible only by the hypervisor, for example by using suitable translation tables.

Table 3-8 shows the register map for the GIC virtual interface control registers.

Table 3-8 Virtual interface control register summary

| Offset | Name | Type | Reset | Full name ^a |
|--------|------------|------|------------|--|
| 0x000 | GICH_HCR | RW | 0x00000000 | Hypervisor Control Register |
| 0x004 | GICH_VTR | RO | 0x90000003 | <i>VGIC Type Register; GICH_VTR on page 3-13</i> |
| 0x008 | GICH_VMCR | RW | 0x004C0000 | Virtual Machine Control Register |
| 0x010 | GICH_MISR | RO | 0x00000000 | Maintenance Interrupt Status Register |
| 0x020 | GICH_EISR0 | RO | 0x00000000 | End of Interrupt Status Register |
| 0x030 | GICH_ELSR0 | RO | 0x0000000F | Empty List register Status Register |
| 0x0F0 | GICH_APR0 | RW | 0x00000000 | Active Priority Register |
| 0x100 | GICH_LR0 | RW | 0x00000000 | List Register 0 |
| 0x104 | GICH_LR1 | RW | 0x00000000 | List Register 1 |
| 0x108 | GICH_LR2 | RW | 0x00000000 | List Register 2 |
| 0x10C | GICH_LR3 | RW | 0x00000000 | List Register 3 |

a. For descriptions of registers that are not specific to the GIC-400, see the *ARM Generic Interrupt Controller Architecture Specification*.

3.9 GIC virtual CPU interface register summary

Table 3-10 shows the register map for the GIC virtual CPU interface in the GIC-400.

Registers that this table does not describe are RAZ/WI.

Table 3-10 GIC virtual CPU interface register summary

| Offset | Name | Type | Reset | Full name ^a |
|--------|-------------|------|------------|---|
| 0x0000 | GICV_CTLR | RW | 0x00000000 | Virtual Machine Control Register |
| 0x0004 | GICV_PMR | RW | 0x00000000 | VM Priority Mask Register |
| 0x0008 | GICV_BPR | RW | 0x00000002 | VM Binary Point Register |
| 0x000C | GICV_IAR | RO | 0x000003FF | VM Interrupt Acknowledge Register |
| 0x0010 | GICV_EOIR | WO | - | VM End of Interrupt Register |
| 0x0014 | GICV_RPR | RO | 0x000000FF | VM Running Priority Register |
| 0x0018 | GICV_HPPIR | RO | 0x000003FF | VM Highest Priority Pending Interrupt Register ^b |
| 0x001C | GICV_ABPR | RW | 0x00000003 | VM Aliased Binary Point Register |
| 0x0020 | GICV_AIAR | RO | 0x000003FF | VM Aliased Interrupt Acknowledge Register |
| 0x0024 | GICV_AEOIR | WO | - | VM Aliased End of Interrupt Register |
| 0x0028 | GICV_AHPPIR | RO | 0x000003FF | VM Aliased Highest Priority Pending Interrupt Register ^b |
| 0x00D0 | GICV_APR0 | RW | 0x00000000 | VM Active Priority Register |
| 0x00FC | GICV_IIDR | RO | 0x0202143B | <i>VM CPU Interface Identification Register; GICV_IIDR on page 3-15</i> |
| 0x1000 | GICV_DIR | WO | - | VM Deactivate Interrupt Register |

- a. For descriptions of registers that are not specific to the GIC-400, see the *ARM Generic Interrupt Controller Architecture Specification*.
- b. This register returns the highest priority pending interrupt even when the appropriate GICV_CTLR.EnableGrp bit is set to 0.

3.10 GIC virtual CPU interface register descriptions

This section only describes the virtual CPU interface registers whose implementation is specific to the GIC-400. The *ARM Generic Interrupt Controller Architecture Specification* describes all the other registers.

3.10.1 VM CPU Interface Identification Register, GICV_IIDR

The GICV_IIDR characteristics are:

- Purpose** Provides information about the implementer and revision of the virtual CPU interface.
- Usage constraints** There are no usage constraints.
- Configurations** Always present in the GIC-400 because it implements the GIC Virtualization Extensions.
- Attributes** See the register summary in [Table 3-10 on page 3-14](#).

The bit assignments for the GICV_IIDR are identical to the corresponding register in the Physical CPU interface, see [CPU Interface Identification Register, GICC_IIDR on page 3-11](#).

Appendix A

Signal Descriptions

This appendix describes the signals that the GIC-400 provides. It contains the following sections:

- *Clock and reset signals on page A-2.*
- *Configuration signal on page A-3.*
- *Interrupt signals on page A-4.*
- *AXI slave interface signals on page A-5.*

A.1 Clock and reset signals

Table A-1 shows the clock and reset signals.

———— **Note** —————

The GIC-400 does not synchronize any inputs, so all input signals, including the SPI and PPI inputs, must be synchronous to **CLK**.

Table A-1 Clock and reset signals

| Signal | Direction | Type | Description |
|----------------------|-----------|-------------------|---|
| CLK | Input | Clock source | Common clock signal for AXI and other interfaces. |
| nRESET | Input | Reset source | Reset for the GIC-400. |
| DFTRSTDISABLE | Input | DFT control logic | Disables the external reset input for test mode. |
| DFTSE | Input | DFT control logic | Scan enable. Disables clock gates for test mode. |

A.2 Configuration signal

Table A-2 shows the configuration signal for the GIC-400.

Table A-2 Configuration signal

| Signal | Direction | Type | Description |
|-------------|-----------|---------------------|--|
| CFGSDISABLE | Input | Security controller | Prevents modification of certain Secure registers, including bits that correspond to the Lockable SPIs. CFGSDISABLE is typically deasserted from reset until Secure software has configured the GIC-400 and then subsequently asserted permanently to provide extra security. |

A.3 Interrupt signals

Table A-3 shows the interrupt signals in the GIC-400.

Table A-3 Interrupt controller signals

| Signal ^a | Direction | Type | Description ^b |
|----------------------------------|-----------|----------------------|---|
| IRQS [NUM_SPIS–1:0] | Input | Interrupt source | SPIs |
| nLEGACYIRQ [NUM_CPUS–1:0] | Input | Interrupt source | PPI with interrupt ID 31 Legacy IRQ signal |
| nCNTPSIRQ [NUM_CPUS–1:0] | Input | Interrupt source | PPI with interrupt ID 30 Non-secure Physical Timer Event |
| nCNTPSIRQ [NUM_CPUS–1:0] | Input | Interrupt source | PPI with interrupt ID 29 Secure Physical Timer Event |
| nLEGACYFIQ [NUM_CPUS–1:0] | Input | Interrupt source | PPI with interrupt ID 28 Legacy FIQ signal |
| nCNTVIRQ [NUM_CPUS–1:0] | Input | Interrupt source | PPI with interrupt ID 27 Virtual Timer Event |
| nCNTHPIRQ [NUM_CPUS–1:0] | Input | Interrupt source | PPI with interrupt ID 26 Hypervisor Timer Event |
| nFIQCPU [NUM_CPUS–1:0] | Output | Interrupt controller | Non-virtual FIQ to processors |
| nIRQCPU [NUM_CPUS–1:0] | Output | Interrupt controller | Non-virtual IRQ to processors |
| nVFIQCPU [NUM_CPUS–1:0] | Output | Interrupt controller | Virtual FIQ to processors |
| nVIRQCPU [NUM_CPUS–1:0] | Output | Interrupt controller | Virtual IRQ to processors |
| nFIQOUT [NUM_CPUS–1:0] | Output | Interrupt controller | FIQ wakeup output |
| nIRQOUT [NUM_CPUS–1:0] | Output | Interrupt controller | IRQ wakeup output |

a. NUM_CPUS and NUM_SPIS are set during configuration of the GIC-400.

b. For information on the dedicated PPIs, see *Interrupt inputs to the GIC-400* on page 2-8.

A.4 AXI slave interface signals

The GIC-400 provides a 32-bit wide AXI4 slave interface. For information, see the *AMBA AXI and ACE Protocol Specification*.

AXI4 signals that are not implemented in the GIC-400 are not shown in the table.

Table A-4 GIC-400 implementation of AXI4 signals

| AXI signal | Direction | Type | GIC-400 implementation |
|---|-----------|------|--|
| Write address channel signals | | | |
| AWADDR[14:0] | Input | AXI | Non-standard width with respect to the <i>AMBA AXI and ACE Protocol Specification</i> . |
| AWID[$\text{NUM_WID_BITS}-1:0$] | Input | AXI | The value of NUM_WID_BITS depends on the AXI ID bits and is set during configuration of the GIC-400. |
| AWLEN[7:0] | Input | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| AWSIZE[2:0] | Input | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| AWUSER[2:0] | Input | AXI | Signal specific to the GIC-400 to identify the processor that initiated the AXI transaction. For information, see AXI4 interface on page 2-3 . |
| AWBURST[1:0] | Input | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| AWPROT[2:0] | Input | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| AWVALID | Input | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| AWREADY | Output | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| Write data channel signals | | | |
| WDATA[31:0] | Input | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| WSTRB[3:0] | Input | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| WVALID | Input | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| WREADY | Output | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| Write response channel signals | | | |
| BID[$\text{NUM_WID_BITS}-1:0$] | Output | AXI | The value of NUM_WID_BITS is set during configuration of the GIC-400. |
| BRESP[1:0] | Output | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| BVALID | Output | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| BREADY | Input | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| Read address channel signals | | | |
| ARADDR[14:0] | Input | AXI | Non-standard width with respect to <i>AMBA AXI and ACE Protocol Specification</i> . |
| ARID[$\text{NUM_RID_BITS}-1:0$] | Input | AXI | The value of NUM_RID_BITS depends on the AXI ID bits and is set during configuration of the GIC-400. |
| ARLEN[7:0] | Input | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| ARSIZE[2:0] | Input | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |

Table A-4 GIC-400 implementation of AXI4 signals (continued)

| AXI signal | Direction | Type | GIC-400 implementation |
|------------------------------|-----------|------|---|
| ARUSER[2:0] | Input | AXI | Signal specific to the GIC-400 to identify the processor that initiated the AXI transaction. For information, see <i>AXI4 interface on page 2-3</i> . |
| ARBURST[1:0] | Input | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| ARPROT[2:0] | Input | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| ARVALID | Input | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| ARREADY | Output | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| Read data channel signals | | | |
| RID[NUM_RID_BITS-1:0] | Output | AXI | The value of NUM_RID_BITS is set during configuration of the GIC-400. |
| RDATA[31:0] | Output | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| RRESP[1:0] | Output | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| RLAST | Output | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| RVALID | Output | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |
| RREADY | Input | AXI | As in the <i>AMBA AXI and ACE Protocol Specification</i> . |

Appendix B

Interrupt Signaling

This appendix describes how the GIC-400 signals interrupts to a processor. It contains the following sections:

- *Interrupt signaling in the GIC-400 with physical interrupts only* on page B-2.
- *Interrupt signaling in the GIC-400 with virtual interrupts* on page B-4.

B.1 Interrupt signaling in the GIC-400 with physical interrupts only

Figure B-1 shows how the GIC-400 handles two physical interrupts of different priority.

In the example, interrupts N and M:

- Are set to be level-sensitive.
- Are SPIs, so they are signaled using the active-HIGH **IRQS** input.
- Target the same processor.
- Are configured to be Group 0 and the **GICC_CTLR** of the target CPU interface has the **FIQEn** bit set, so they are signaled to that CPU as FIQs.




Figure B-1 Signaling physical interrupts

Note

The timings in Figure B-1 are for illustration only. They are typical values that are not guaranteed and must not be relied upon.

For information on interrupt handling in general, see the *ARM Generic Interrupt Controller Architecture Specification*.

In Figure B-1, at time:

- T1** The Distributor detects the assertion of Group 0 interrupt M.
- T2** The Distributor sets interrupt M to pending.
- T17** The CPU interface asserts **nFIQCPU[n]**.
The assertion of **nFIQCPU[n]** occurs some **CLK** cycles after interrupt M becomes pending. In Figure B-1, the latency at the physical interface is $t_{ph} = 15$ clock cycles.

Note

The Distributor takes several cycles to calculate the highest priority pending interrupt. If an interrupt becomes pending while the calculation is in progress, it only affects the results of the next calculation. This means that the interrupt latency might vary. Therefore, while t_{ph} is typically 12 cycles, it might often be between 10 and 20 cycles.

- T42** The Distributor detects the assertion of a higher priority Group 0 interrupt, N.
- T43** The Distributor replaces interrupt M with interrupt N as the highest priority pending interrupt and sets N to pending.
- T58** t_{ph} clock cycles after interrupt N became pending, the CPU interface asserts **nFIQCPU[n]**. The state of **nFIQCPU[n]** is unchanged because **nFIQCPU[n]** was asserted at T17.
The CPU interface updates the InterruptID field in the GICC_IAR, to contain the ID value for interrupt N.
- T61** The processor reads the GICC_IAR, acknowledging the highest priority pending interrupt, N.
The Distributor sets interrupt N to active and pending.
- T61-T131** The processor services interrupt N.
- T64** 3 clock cycles after interrupt N has been acknowledged, the CPU interface deasserts **nFIQCPU[n]**.
- T126** The peripheral deasserts interrupt N.
- T128** The pending state is removed from N.
- T131** The processor writes to the End of Interrupt Register, GICC_EOIR, with the ID of interrupt N and the Distributor deactivates interrupt N.
- T146** t_{ph} clock cycles after GICC_EOIR was written to for N, the Distributor forwards the new highest priority pending interrupt, M, to the CPU interface, which asserts **nFIQCPU[n]**.
- T211** The processor reads the GICC_IAR, acknowledging the highest priority pending interrupt, M, and the Distributor sets interrupt M to active and pending.
- T214** 3 clock cycles after interrupt M has been acknowledged, the CPU interface deasserts **nFIQCPU[n]**.

B.2 Interrupt signaling in the GIC-400 with virtual interrupts

Under certain conditions the CPU interface signals Group 1 physical interrupts to the hypervisor, which might create one virtual interrupt for each physical interrupt. [Figure B-2 on page B-5](#) shows the scenario in which the hypervisor creates a virtual Group 0 interrupt for the physical interrupt. Signaling of virtual interrupts with **nVFIQCPU[n]** is similar to signaling of physical interrupts with **nIRQCPU[n]**. **nVFIQCPU[n]** remains asserted until the virtual machine acknowledges the interrupt by reading the VM Interrupt Acknowledge Register, **GICV_IAR**.

In the example, interrupt N is:

- A physical interrupt.
- Set to be level-sensitive.
- An SPI, so is signaled using the active-HIGH **IRQS** input.
- Configured to be Group 1, so it is signaled to the target processor as an IRQ.

Interrupt V:

- Is a virtual interrupt on the virtual CPU interface of the same processor that handled the physical interrupt.
- Has its state held in one of the List registers, **GICH_LRn**, where it is managed by the hypervisor.

Note

The timings in [Figure B-2 on page B-5](#) are for illustration only. They are typical values that are not guaranteed and must not be relied upon. For information on the handling of virtual interrupts in general, see the *ARM Generic Interrupt Controller Architecture Specification*.




Figure B-2 Signaling virtual interrupts

In Figure B-2, at time:

- T1** The Distributor detects the assertion of Group 1 interrupt N.
- T2** The Distributor sets interrupt N to pending.
- T17** The Distributor updates the InterruptID field in the GICC_IAR, to contain the ID value for N and the CPU interface asserts $nIRQCPU[n]$.
The assertion of $nIRQCPU[n]$ occurs some CLK cycles after interrupt N becomes pending. In Figure B-2, the latency at the physical CPU interface, t_{ph} , is 15 clock cycles.
- T53** The hypervisor reads the Non-secure GICC_IAR to acknowledge the highest priority pending physical interrupt, N. This changes the state of interrupt N to active and pending.
- T56** 3 clock cycles after N becomes active and pending, the CPU interface deasserts $nIRQCPU[n]$.
- T76** The hypervisor writes to an empty List register, which creates interrupt V, a pending Group 0 hardware virtual interrupt with the PhysicalID field that contains the ID of interrupt N.
- T78** The virtual CPU interface asserts $nVFIQCPU[n]$.
The assertion of $nVFIQCPU[n]$ occurs some CLK cycles after interrupt V becomes pending. In Figure B-2, the latency at the virtual CPU interface, t_v , is 2 clock cycles.
- T118** The hypervisor writes to the End of Interrupt Register, GICC_EOIR, with the ID of interrupt N.

Note

Since GICC_CTLR.EOImodeNS had been set to 1, the end-of-interrupt only results in a priority drop so that physical interrupts with a lower priority than N's can be signaled to the processor. The state of interrupt N remains unchanged.

- T126** The virtual machine reads the GICC_IAR, acknowledging the highest priority pending Group 0 virtual interrupt, V.
Interrupt V becomes active.
- T127 - T163** The virtual machine services interrupt V.
- T128** t_v after V has been acknowledged, the virtual CPU interface deasserts **nVFIQCPU[n]**.
- T141** When the virtual machine has dealt with the event that had caused the interrupt, the peripheral deasserts the interrupt signal.
- T143** After the deassertion of input N is detected, the pending state is removed from N.
- T164** The virtual machine writes to the VM End of Interrupt Register, GICV_EOIR, with the ID of interrupt V.
This causes the deactivation of interrupt V and, because V is a hardware virtual interrupt, also the deactivation of the associated physical interrupt, N.

Appendix C

Revisions

This appendix describes the technical changes between released issues of this book.

Table C-1 Issue A

| Change | Location | Affects |
|---------------|-----------------|----------------|
| First release | - | - |

Table C-2 Differences between issue A and issue B

| Change | Location | Affects |
|---|--|----------------|
| Clarified when a hypervisor is required | <i>About the GIC-400 on page 1-2</i> | All |
| Added a note about suitability for use with processors that have requirements on the stability of IRQ and FIQ inputs | <i>Interrupt handling and prioritization in the GIC-400 on page 2-11</i> | All |
| Clarified what happens to the interrupt input signal for a level-sensitive interrupt in a disabled group when the Distributor is disabled | <i>Behavior when the Distributor is disabled on page 2-13</i> | All |

Table C-2 Differences between issue A and issue B (continued)

| Change | Location | Affects |
|--|--|----------------|
| Updated bits[15:12] of the Distributor Implementer Identification Register | Table 3-2 on page 3-4 <i>Distributor Implementer Identification Register, GICD_IIDR</i> on page 3-6 | r0p1 |
| Updated bits[15:12] of the CPU Interface Identification Register | Table 3-6 on page 3-10 <i>CPU Interface Identification Register, GICC_IIDR</i> on page 3-11 | r0p1 |
| Updated bits[15:12] of the VM CPU Interface Identification Register | Table 3-8 on page 3-12 <i>VM CPU Interface Identification Register, GICV_IIDR</i> on page 3-15 | r0p1 |